

DC Contactor

CZW Series DC Contactor

USES

This product for electric vehicles, telecommunication equipment, engineering machinery, car batteries, electric forklift trucks, trains, ships, electronic control systems such as uninterruptible power supply.

PRODUCT DETAIL LIST

(Total 42 kinds)
































	<p>Product name: DC Contactor Product type: CZW50A Rated load current: 50A Contact form: 1 NO Coil power: 5-10 W</p>	1
	<p>Product name: DC Contactor Product type: CZW100A Rated load current: 100A Contact form: 1 NO Coil power: 8-13 W</p>	2
	<p>Product name: DC Contactor Product type: CZWB100A Rated load current: 100A Contact form: 1 NC Coil power: 14-23 W</p>	3
	<p>Product name: DC Contactor Product type: CZWH100A Rated load current: 100A Contact form: 1 NO 1 NC Coil power: 14-23 W</p>	4
	<p>Product name: DC Contactor Product type: CZWH100A-T Rated load current: 100A Contact form: 1 NO 1 NC Convert Coil power: 14-23 W</p>	5
	<p>Product name: DC Contactor Product type: CZWH100A-2T Rated load current: 100A Contact form: Convert the two groups (2 SF-D) Coil power: 14-23 W</p>	6
	<p>Product name: DC Contactor Product type: CZWP100A Rated load current: 100A Contact form: 1 NO Coil power: 8-25 W</p>	7

				<p>Product name: DC Contactor Product type: CZWJ100A Rated load current: 100A Contact form: 2 NO Coil power: 14-23 W</p>	8
				<p>Product name: DC Contactor Product type: CZWJ100A-2T Rated load current: 100A Contact form: 4 NO Coil power: 14-23 W</p>	9
				<p>Product name: DC Contactor Product type: CZWT150A Rated load current: 150A Contact form: Convert the two groups (2 SFDT) Coil power: 14-23 W</p>	10
				<p>Product name: DC Contactor Product type: CZW200A Rated load current: 200A Contact form: 1 NO Coil power: 12-18 W</p>	11
				<p>Product name: DC Contactor Product type: CZWB200A Rated load current: 200A Contact form: 1 NC Coil power: 20-35 W</p>	12
				<p>Product name: DC Contactor Product type: CZWH200A Rated load current: 200A Contact form: 1 NO 1 NC Coil power: 20-35 W</p>	13
				<p>Product name: DC Contactor Product type: CZWH200A-T Rated load current: 200A Contact form: 1 NO 1 NC Convert Coil power: 20-35 W</p>	14
				<p>Product name: DC Contactor Product type: CZWH200A-2T Rated load current: 200A Contact form: Convert the two groups (2 SFDT) Coil power: 20-35 W</p>	15















	<p>Product name: DC Contactor Product type: CZWT200A Rated load current: 200A Contact form: Convert the two groups (2 SFDT) Coil power: 20-35 W</p>	16
	<p>Product name: DC Contactor Product type: CZWJ200A Rated load current: 200A Contact form: 2 NO Coil power: 20-35 W</p>	17
	<p>Product name: DC Contactor Product type: CZWJ200A-2T Rated load current: 200A Contact form: 4 NO Coil power: 20-35 W</p>	18
	<p>Product name: DC Contactor Product type: CZW300A Rated load current: 300A Contact form: 1 NO Coil power: 12-18 W</p>	19
	<p>Product name: DC Contactor Product type: CZW400A Rated load current: 400A Contact form: 1 NO Coil power: 13-30 W</p>	20
	<p>Product name: DC Contactor Product type: CZWB400A Rated load current: 400A Contact form: 1 NC Coil power: 22-40 W</p>	21
	<p>Product name: DC Contactor Product type: CZWH400A Rated load current: 400A Contact form: 1 NO 1 NC Coil power: 22-40 W</p>	22
	<p>Product name: DC Contactor Product type: CZWH400A-T Rated load current: 400A Contact form: 1 NO 1 NC Convert Coil power: 22-40 W</p>	23

	<p>Product name: DC Contactor Product type: CZWH400A-2T Rated load current: 400A Contact form: Convert the two groups (2 SFDT) Coil power: 22-40 W</p> <p style="text-align: right;"><b>24</b></p>
	<p>Product name: DC Contactor Product type: CZW152A Rated load current: 150A Contact form: 1 NO Coil power: 14-23 W</p> <p style="text-align: right;"><b>25</b></p>
	<p>Product name: DC Contactor Product type: CZW252A Rated load current: 250A Contact form: 1 NO Coil power: 20-35 W</p> <p style="text-align: right;"><b>26</b></p>
	<p>Product name: DC Contactor Product type: CZW352A Rated load current: 350A Contact form: 1 NO Coil power: 20-35 W</p> <p style="text-align: right;"><b>27</b></p>
	<p>Product name: DC Contactor Product type: CZW600A Rated load current: 600A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;"><b>28</b></p>
	<p>Product name: DC Contactor Product type: CZW800A Rated load current: 800A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;"><b>29</b></p>
	<p>Product name: DC Contactor Product type: CZW1600A Rated load current: 1600A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;"><b>30</b></p>
	<p>Product name: DC Contactor Product type: CZW2000A Rated load current: 2000A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;"><b>31</b></p>

				<p>Product name: DC Contactor Product type: CZW3000A Rated load current: 3000A Contact form: 1 NO Coil power: 20-45 W</p> <p style="text-align: right;"><b>32</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW50A-K Rated load current: 50A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>33</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW100A-K Rated load current: 100A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>34</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW200A-K Rated load current: 200A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>35</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW400A-K Rated load current: 400A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>36</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW1600A-K Rated load current: 1600A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>37</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW2000A-K Rated load current: 2000A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>38</b></p>
				<p>Product name: Magnetic Holding DC Contactor Product type: CZW3000A-K Rated load current: 3000A Contact form: 1 Circuit</p> <p style="text-align: right;"><b>39</b></p>



				<p>Product name: Magnetic Holding DC Contactor                      Product type: CZWH1600A-K                      Rated load current: 1600A                      Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">40</p>
				<p>Product name: Magnetic Holding DC Contactor                      Product type: CZWH2000A-K                      Rated load current: 2000A                      Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">41</p>
				<p>Product name: Magnetic Holding DC Contactor                      Product type: CZWH3000A-K                      Rated load current: 3000A                      Contact form: 2 Circuit</p> <p style="text-align: right; background-color: #0070C0; color: white; padding: 2px 10px; border-radius: 5px;">42</p>

-- The end --